

IN THE CLAIMS:

Please amend claims 1-3, 5, 6, 14, and 19. This listing of claims will replace all prior versions, and listings of claims in the application.

- Sub
D1 5
- C1
- 10
- 15
- 20
- 25
- 30
1. (Currently Amended) A storage system comprising:
 - a plurality of front-end control element elements substantially devoid of circuits and functions that control a plurality of I/O devices and configured for controlling information exchange using RAID storage management with one or more attached host computer systems;
 - a plurality of back-end control element elements substantially devoid of circuits and functions that interface directly with the attached host computer systems, communicatively coupled to a plurality of I/O devices and configured for controlling information exchange with the I/O devices, wherein the front-end control elements differ in number from the back-end control elements; and
 - an interconnect element coupled to said front-end control ~~element~~ elements and coupled to said back-end control ~~element~~ elements to enable exchange of information therebetween, wherein the storage system is adapted to implement additional front-end control elements, back-end control elements and interconnect elements independent of all other such elements wherein the interconnect element is configured for conveying the requests from the front-end control elements to the back-end control elements to perform the host requested I/O operation, and wherein said interconnect element is an SAN architecture fabric that conveys the requests from the front-end control elements to the back-end control elements by exchange of messages between the front-end and back-end control elements according to address indicia within the messages and associated with the front-end and back-end control elements.
 2. (Currently Amended) The system of claim 1 further comprising:
 - a plurality of disk drives coupled as I/O devices to said back-end control ~~element~~ elements.
 3. (Currently Amended) The system of claim 2
 - wherein said plurality of disk drives comprises:
 - a first subset of said plurality of disk drives; and

a second subset of said plurality of disk drives, and
wherein said ~~back-end control element comprises a plurality of back-end controllers~~
control elements including includes:

5 a first pair of back-end controllers coupled to said first subset; and
a second pair of back-end controllers coupled to said second subset.

C1 4. (Original) The system of claim 3 further comprising:

a first pair of redundant links coupling said first pair of back-end controllers to said first
subset; and

10 a second pair of redundant links coupling said second pair of back-end controllers to said
second subset.

5 5. (Currently Amended) The system of claim 1 wherein said interconnect element
comprises a pair of interconnect elements and ~~wherein said front-end control element comprises~~
~~a plurality of front-end controllers and wherein each of said plurality of front-end controllers~~
control elements is coupled to each of said pair of interconnect elements.

6. (Currently Amended) The system of claim 5 further comprising:

a first set of disk drives; and

20 a second set of disk drives, and wherein said ~~back-end control element comprises a~~
~~plurality of back-end controllers~~ control elements including:

a first pair of back-end controllers coupled to said first set wherein each of said first pair
of back-end controllers is coupled to a corresponding one of said pair of interconnect elements;
and

25 a second pair of back-end controllers coupled to said second set wherein each of said
second pair of back-end controllers is coupled to a corresponding one of said pair of interconnect
elements.

30 7. (Original) The system of claim 1 wherein said interconnect element comprises a PCI bus.

8. (Original) The system of claim 1 wherein said interconnect element comprises:

a Fibre Channel communication medium; and

a Fibre Channel SAN switch coupled to said Fibre Channel communication medium.

9. (Original) The system of claim 1 wherein said interconnect element comprises an InfiniBand
5 compliant communication medium.

C1 10. (Original) The system of claim 1 wherein said interconnect element comprises a local area
network communication medium.

10 12. (Original) The system of claim 1 wherein said front-end control element is operable to
perform mapping of logical storage addresses to physical storage addresses for further operations
by said back-end control element.

13. (Original) The system of claim 1 wherein said back-end control further comprises:
15 a RAID parity assist element for RAID parity generation and checking.

14. (Currently Amended) A front-end control element for a storage subsystem comprising:
a host system interface;

20 a processor coupled to said host system interface to process host system generated I/O
requests received through said host system interface; and

25 a ~~an~~ SAN interface coupled to said processor for coupling said front-end control element
to a ~~plurality of back-end control element elements~~, wherein said front-end control element is
adapted to be added to the storage subsystem independent of ~~said~~ back-end control elements,
wherein front-end control elements differ in number from said back-end control elements,
and

30 wherein said SAN interface couples the front-end control element to an SAN fabric that
conveys the I/O requests from the front-end control elements to the back-end control elements by
exchange of messages between the front-end and back-end control elements according to address
indicia within the messages and associated with the front-end and back-end control elements, and
wherein the front-end control element is substantially devoid of circuits and functions
that control a plurality of I/O devices.

15. (Original) The front-end control element of claim 14 wherein said SAN interface comprises a PCI bus interface.

5 16. (Original) The front-end control element of claim 14 wherein said SAN interface comprises a Fibre Channel communication media interface.

C1 17. (Original) The front-end control element of claim 14 wherein said SAN interface comprises an InfiniBand compliant communication medium.

10 18. (Original) The front-end control element 14 wherein said SAN interface comprises a local area network communication medium.

15 19. (Currently Amended) A back-end control element for a storage subsystem comprising:
a disk drive interface for coupling said back-end control element to a plurality of disk drives; and

20 a an SAN interface coupled to said disk drive interface for coupling said back-end control element to a plurality of front-end control element elements, wherein said back-end control element is adapted to be added to the storage subsystem independent of said front-end control elements,

wherein back-end control elements differ in number from said front-end control elements,
and

25 wherein said SAN interface couples the back-end control element to an SAN fabric that conveys the I/O requests from the front-end control elements to the back-end control element by exchange of messages between the front-end and back-end control elements according to address indicia within the messages and associated with the front-end and back-end control elements, and

wherein the back-end control element is substantially devoid of circuits and functions that interface directly with the attached host computer systems and configured,.

30 20. (Original) The back-end control element of claim 19 wherein said SAN interface comprises a PCI bus interface.

C1 21. (Original) The back-end control element of claim 19 wherein said SAN interface comprises a Fibre Channel communication media interface.

5 22. (Original) The back-end control element of claim 19 wherein said SAN interface comprises an InfiniBand compliant communication medium.

23. (Original) The back-end control element of claim 19 wherein said SAN interface comprises a local area network communication medium.

10
